



FORTE

ADVANTAGES

- COMFORT OF USE
- SERVICE RELIABILITY
- AESTHETICS
- SEFETY

USE

- PRIVATE PROPERTY
- STORE- AND WAREHOUSES
- MILITARY AREAS
- AIRPORTS
- CAR PARCS
- INDUSTRIAL PLANTS
- SPORTS OBJECTS
- HYPER- AND SUPERMARKETS



MOUNTAINIII



FORTE



PRZEDSIĘBIORSTWO
FAIR PLAY

Fences for Generations !



FORTE FENCE

■ FENCE DESCRIPTION



Gradation

Panel fence based on welded **FORTE** type mats. It consists of system of the same name - to simplify the nomenclature. A **FORTE** fence consists of welded mats (spans) and posts made of steel cold bent closed sections. The posts are set every 2480 mm. The posts can be ended with a base plate attached to the foundation

with screws. **FORTE** mats have simple top endings with a 3 cm overmeasure. Posts that are to be settled in the foundation are lengthened to minimum 600 mm. Panels are screwed to the posts with rust-proof screws and pressed down with a concealing strip. The posts are ended with plastic or metal covers.



FORTE smooth


TECHNICAL DATA

Measurements

Type of fence	Height of the element [mm]	Post section [mm]	Height of the post [mm]	Weight of the mat [kg]
FORTE83 (80)	830 (800)	60x40x2	1400	13.2
FORTE103 (100)	1030 (1000)	60x40x2	1600	16.1
FORTE123 (120)	1230 (1200)	60x40x2	1800	19.1
FORTE143 (140)	1430 (1400)	60x40x2	2000	22.0
FORTE163 (160)	1630 (1600)	60x40x2	2200	25.0
FORTE183 (180)	1830 (1800)	60x40x2	2400	28.0
FORTE203 (200)	2030 (2000)	60x40x2	2600	30.9
FORTE223 (220)	2230 (2200)	60x40x2	2800	33.9
FORTE243 (240)	2430 (2400)	60x40x2	3000	36.9

In brackets for realization of smooth mat top.

View of the FORTE fence type



Realizations Variants

REALIZATIONS:

- posts settled in the foundation,
- posts fastened to the base,
- SKOS version for uneven ground,
- gradation,
- smooth mat top ending,
- joining mats with stirrups.

SPECIAL ORDER:

- prefabricated concrete pedestal,
- deflected posts -bent mat,
- deflected posts -straight mat (1,2 or 3 rows of additional barbed wire),
- two-side deflected posts Y and a straight mat (1, 2 or 3 rows of barbed wire on every side and an additional coil of barbed wire in the middle of Y).